From: Miano, John (DEP)
To: Casey, Carolyn

**Subject:** RE: July 2018 Progress Report

**Date:** Thursday, September 06, 2018 11:36:25 AM

Yes, it is odd that it took this long for the consultants to find this apparently obvious source of petroleum vapors in the building. But the outcome will be good if indoor petroleum vapors can be reduced in the schools and daycares.

From: Casey, Carolyn [mailto:Casey.Carolyn@epa.gov]

Sent: Thursday, September 06, 2018 10:18 AM

To: Miano, John (DEP)

**Subject:** RE: July 2018 Progress Report

Well it looks like they may have found the lawn mower in the closet! It seems odd that at this commercial/residential facility that they would have manufacturing. I would assume this American Schoen Machinery is actually considered an industrial or light industrial facility. Just took a quick look for zoning maps but could not find anything online.

https://www.asm-schoen.com/

**From:** Craig Ziady [mailto:craig@cummings.com] **Sent:** Wednesday, August 29, 2018 5:05 PM

**To:** Casey, Carolyn <Casey.Carolyn@epa.gov>; Zucker, Audrey <Zucker.Audrey@epa.gov>; Wainberg, Daniel <Wainberg.Daniel@epa.gov>; Murphy, Jim <Murphy.Jim@epa.gov>; Miano, John (DEP) <john.miano@state.ma.us>

**Cc:** Bruce Hoskins <BHoskins@FslAssociates.com>; Steve Drohosky <sjd@cummings.com>

**Subject:** July 2018 Progress Report

Hi Carolyn - Please find enclosed the Progress Report dated August 29, 2018 for the former United Shoe Machinery Division parcel in Beverly.

Please let me know if you have any questions.

Thank you.

Craig

Craig J. Ziady
General Counsel
Cummings Properties, LLC
200 West Cummings Park
Woburn, MA 01801
Direct dial: 781-932-7034
Main No.: 781-935-8000
www.cummings.com

The information contained in this message may be privileged, confidential, and/or protected from disclosure. If the reader of this message is not the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this communication is strictly prohibited. If you have received this communication in error, please notify us immediately by replying to the message and deleting it (and all attachments) from your computer.